
# OTLC INTERCHANGEABLE THERMISTORS

QTI's interchangeable NTC precision thermistor offers industry standard 3 inch long #32 AWG (0.0075 inch) bare leads. The designation name "interchangeable" is given to precision thermistors which have ultra-tight tolerances guaranteed to track a specific resistance-temperature curve.

### ENGINEERING INFORMATION

- Typical wire size: # 32 AWG
- Power rating: 0.25 W at 25°C, derate to 0 W at 125°C
- Temperature range: -55°C to 155°C
- Typical Time Constant: 8 seconds max in still air\*
- Typical Dissipation Constant: 2mW/°C in still air\*
- RoHS compliant options available
- \* Depends on mounting



## STANDARD R/T CURVES AND VALUES

#### Resistances at 25°C (ohms):

2.252k, 3k, 5k, 10k

#### Curves:

Z/D, S/F

**Tolerances (+/-):** 0.2°C (0°C to 70°C), 0.5°C (0°C to 70°C), 1.0°C (0°C to 70°C) Additional resistance, curve or tolerance options may be possible. Contact QTI for details.

QTI can customize this part for you. Contact us for available options.

2108 Century Way Boise, Idaho 83709 USA T: (208) 377-3373, 800-554-4784 F: (208) 376-4754 qtisales@thermistor.com www.thermistor.com



